



SAFETY DATA SHEET

CLAYBENT34US35
VERSION NO. 1

BENTONITE CLAY

*Prepared to US OSHA, CMA, ANSI, Canadian WHMIS Standards,
Australian WorkSafe, Japanese Industrial Standard JIS Z
7250:2000, and European Directives*

1 PRODUCT AND COMPANY IDENTIFICATION

| | |
|--|--|
| 1.1 Trade Name (as labeled): | Bentonite Clay |
| Botanical Name: | N/A |
| INCI Name: | Bentonite Clay |
| Synonyms: | N/A |
| CAS No: | Mixture |
| EINECS No: | Not listed |
| FEMA No: | Not available |
| 1.2 Product Use: | Personal Care Formulations |
| 1.3 Company Name: | Natural Sourcing, LLC. |
| Company Address: | 341 Christian Street, Oxford, CT 06478, USA |
| Business Phone: | (800) 340-0080 |
| Website: | www.naturalsourcing.com |
| Email: | info@naturalsourcing.com |
| 1.4 Emergency Telephone Number: | Chemtrec: (800) 262-8200 |
| Date of Current Revision: | August 16, 2015 |
| Date of Last Revision: | August 4, 2015 |

2 HAZARD IDENTIFICATION

EMERGENCY OVERVIEW: This product is a light tan to gray dry powder with no odor. Minimize dust generation and breathing of dust.

Health Hazards: May cause skin, eye and respiratory irritation. May cause cancer.

Flammability Hazards: Non-flammable.

Reactivity Hazards: None.

Environmental Hazards: The environmental effects of this product have not been investigated, however release may cause adverse environmental effects.

US DOT Symbols: Non-Regulated Material

EU and GHS Symbols:



Danger

Signal Word:

2.1 EU Labeling and Classification:

This product does meet the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

Components Contributing to Classification: Quartz

2.2 Label Elements:

GHS Hazard Classifications: Carcinogenicity Category 1A

Hazard Statements: H350 May cause cancer

Precautionary Statements:

P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P308+P313 IF exposed or concerned: Get medical advice/attention.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local regulations.

Response Statements:

Storage Statements:

Disposal Statements:

2.3 Health Hazards or Risks From Exposure:

Symptoms of Overexposure by Route of Exposure:

The most significant routes of overexposure for this product are by contact with skin, eyes, and respiratory system. The symptoms of overexposure are described in the following paragraphs.

Acute:

- Inhalation: Excessive quantities may cause respiratory irritation.
- Skin Contact: Prolonged or repeated exposure may cause skin irritation.
- Eye Contact: May cause eye irritation upon direct contact.
- Ingestion: No data available.

Chronic: No data available.

Target Organs:

- Acute: Skin, Eyes, and Respiratory System
- Chronic: No data available

3 COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Type of Product: Natural Sourcing Cosmetic Clays

| Ingredients: | WT% | CAS No. | EINECS No. | Hazard Classification |
|-----------------|--------|------------|------------|----------------------------|
| Bentonite | 98-100 | 1302-78-9 | 215-108-5 | Not Classified |
| Silicon Dioxide | <2% | 7631-869-9 | 231-545-4 | Not Classified |
| Quartz | <2% | 14808-60-7 | 238-878-4 | Carcinogenicity Category 1 |

Note: All WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250:2000

4 FIRST AID MEASURES

4.1 Description of First Aid Measures:

Eye Contact:

If product enters the eyes, flush with plenty of water or eye wash solution for several minutes. Seek medical attention if irritation persists.

Skin Contact:

Wash skin thoroughly with soap and water after handling. Seek medical attention if irritation develops and persists.

Inhalation:

If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.

Ingestion:

If product is swallowed, call physician or poison center if you feel unwell. If professional advice is not available, do not induce vomiting. Never induce vomiting or give dilutents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

Medical Conditions Generally Aggravated by Exposure:

No data available

4.2 Symptoms and Effects Both Acute and Delayed:

Contact with skin, eyes, and respiratory system may cause irritation.

4.3 Recommendations to Physicians:

Treat symptoms and eliminate overexposure.

5 FIRE FIGHTING MEASURES

5.1 Fire Extinguishing Materials:

Use the following fire extinguishing materials:

Water Spray: Yes
Foam: Yes
Halon: Yes

Carbon Dioxide: Yes
Dry Chemical: Yes
Other: Any "C" Class

5.2 Unusual Fire and Exposure Hazards:

Irritating and toxic fumes may be produced at high temperatures. Use of water may result if the formation of a toxic aqueous solution. Do not allow run-off from fire fighting to enter drains or water courses.

Explosive Sensitivity to Mechanical Impact: No

Explosive Sensitivity to Static Discharge: No

- Incipient fire responders should wear eye protection.
- Structural firefighters must wear Self-Contained Breathing Apparatus (SCBA) and full protective equipment.
- Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray.
- If possible, prevent run-off water from entering storm drains, bodies of water, or other environmentally sensitive areas.

5.3 Special Fire-Fighting Procedures:

| NFPA RATING SYSTEM | | HMIS RATING SYSTEM | | | | | | | | | | | | | |
|--|-------------|--|------------|-----------------------------|----------|----------------------------------|----------|---------------------------------|-------------|-------|------|--|------------|--|------------|
| HAZARDOUS MATERIAL IDENTIFICATION SYSTEM | | | | | | | | | | | | | | | |
| | | <table border="1"> <tr> <td>HEALTH HAZARD (BLUE)</td> <td>2</td> </tr> <tr> <td>FLAMMABILITY HAZARD (RED)</td> <td>0</td> </tr> <tr> <td>PHYSICAL HAZARD (YELLOW)</td> <td>0</td> </tr> </table> | | HEALTH HAZARD (BLUE) | 2 | FLAMMABILITY HAZARD (RED) | 0 | PHYSICAL HAZARD (YELLOW) | 0 | | | | | | |
| HEALTH HAZARD (BLUE) | 2 | | | | | | | | | | | | | | |
| FLAMMABILITY HAZARD (RED) | 0 | | | | | | | | | | | | | | |
| PHYSICAL HAZARD (YELLOW) | 0 | | | | | | | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th colspan="4">PROTECTIVE EQUIPMENT</th> </tr> <tr> <th>EYES</th> <th>RESPIRATORY</th> <th>HANDS</th> <th>BODY</th> </tr> </thead> <tbody> <tr> <td></td> <td>See Sect 8</td> <td></td> <td>See Sect 8</td> </tr> </tbody> </table> | | PROTECTIVE EQUIPMENT | | | | EYES | RESPIRATORY | HANDS | BODY | | See Sect 8 | | See Sect 8 |
| PROTECTIVE EQUIPMENT | | | | | | | | | | | | | | | |
| EYES | RESPIRATORY | HANDS | BODY | | | | | | | | | | | | |
| | See Sect 8 | | See Sect 8 | | | | | | | | | | | | |
| <p>Hazard Scale: 0 = Minimum 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic Hazard</p> | | | | | | | | | | | | | | | |

6 ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

6.2 Environmental Precautions:

If water is introduced, construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

6.3 Spill and Leak Response:

Small Spills:

- Collect material via broom or mop. Place in tightly sealed containers for proper disposal.

Large Spills:

- Approach spill areas with caution.
- If liquid was introduced, create a dike or trench to contain material. Soak up with absorbent material such as clay, sand or other suitable non-reactive material.
- Place in leak-proof containers. Seal tightly for proper disposal.
- Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

7 HANDLING AND STORAGE

7.1 Precautions for Safe Handling:

To prevent skin contact under the foreseeable conditions of use, wear appropriate safety gloves. Wash thoroughly after handling.

7.2 Storage and Handling Practices:

Minimize dust generation and accumulation.

7.3 Specific Uses:

Comply with the regulations and product data sheet. No specific recommendations. Apply the above handling guidelines.

8 EXPOSURE CONTROL/PERSONAL PROTECTION

8.1 Exposure Parameters:

| Ingredients | CAS No. | OSHA PEL | NIOSH PEL |
|-----------------|------------|---|------------------------|
| Bentonite | 1302-78-9 | 15 mg/m ³ (Total dust), 5 mg/m ³ (Respirable dust) | No data available |
| Silicon Dioxide | 7631-869-9 | 80 mg/m ³ | 6 mg/m ³ |
| Quartz | 14808-60-7 | 30 mg/m ³ | 0.05 mg/m ³ |

8.2 Exposure Controls:

Ventilation and Engineering Controls:

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

Respiratory Protection:

Not required for properly ventilated areas.
Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

Eye Protection:

Safety glasses or goggles are recommended.
If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

Hand Protection:

Chemical resistant gloves are recommended to prevent skin contact.
If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

Body Protection:

Use body protect appropriate to task being performed.
If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties:

- Appearance (Physical State and Color):** This product is a light tan to gray dry powder
- Odor:** Odorless
- Odor Threshold:** Not Available
- pH:** Not Available
- Melting/Freezing Point:** Not Available
- Boiling Point:** Not Available
- Flash Point:** Not Applicable
- Evaporation Rate:** Not Available
- Flammability (Solid; Gas):** Not Available
- Upper/Lower Flammability or Explosion Limits:** Not Available
- Vapor Pressure (mm Hg @ 20°C (68° F):** Not Available
- Vapor Density:** Not Available
- Relative Density:** Not Available
- Specific Gravity:** 2.45-2.6
- Solubility in Water:** Insoluble
- Weight per Gallon:** Not Available
- Partition Coefficient (n-octanol/water):** Not Available
- Auto-Ignition Temperature:** Not Available
- Decomposition Temperature:** Not Available
- Viscosity:** Not Available

9.2 Other Information: No additional information available at this time.

10 STABILITY AND REACTIVITY

- 10.1 Reactivity:** This product is not reactive.
- 10.2 Stability:** Stable under conditions of normal storage and use.
- 10.3 Possibility of Hazardous Reactions:** Will not occur.
- 10.4 Conditions to Avoid:** None
- 10.5 Incompatible Substances:** None
- 10.6 Hazardous Decomposition Products:** None

11 TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects:

| | | | |
|-----------------|-----------|------------------------|-------------|
| Bentonite | 1302-78-9 | LD50 – Intravenous-Rat | 35 mg/kg |
| Silicon Dioxide | 7631-86-9 | LD50 -Oral-Rat | 3,160 mg/kg |

- Suspected Cancer Agent:** Ingredients within this product are found on the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are not considered to be, nor suspected to be, cancer-causing agents by these agencies.
- Irritancy:** Skin: May cause irritation.
Eyes: May cause irritation.
Inhalation: May cause irritation.
- Sensitization to the Product:** This product is not expected to cause skin sensitization.

Reproductive Toxicity:

No specific information is available concerning the effects of this product and its components on the human reproductive system.

12 ECOLOGICAL INFORMATION**12.1 Toxicity:**

No data available

12.2 Persistence and Degradability:

No specific data available on this product.

12.3 Bioaccumulative Potential:

No specific data available on this product.

12.4 Mobility in Soil:

No specific data available on this product.

12.5 Results of PBT and vPvB Assessment:

No specific data available on this product.

12.6 Other Adverse Effects:

No data available

12.7 Water Endangerment Class:

At present, there are no ecotoxicological assessments for this product.

13 DISPOSAL CONSIDERATIONS**13.1 Waste Treatment Methods:**

Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

13.2 EU Waste Code:

Not determined

14 TRANSPORTATION INFORMATION**US DOT, IATA, IMO, ADR:****14.1 U.S. Department of Transportation (DOT) Shipping Regulations:**

This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

UN Identification Number:

None

Proper Shipping Name:

Non-Regulated Material

Hazard Class Number and Description:

None

Packing Group:

None

DOT Label(s) Required:

None

North American Emergency Response Guidebook Number:

None

RQ Quantity:

None

14.2 Environmental Hazards:**Marine Pollutant:**

The components of this product are not designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

14.3 Special Precaution for User:

None

14.4 International Air Transport Association Shipping Information (IATA):

This product is not considered as dangerous goods.

14.5 International Maritime Organization Shipping Information (IMO):

This product is not considered as dangerous goods.

14.6 Transport in Bulk According to Annex II of Marpol 73/78 and IBC Code:

European Agreement Concerning the International Carriage of Dangerous Goods by Road (ADR:)

This product is not considered by the United Nations Economic Commission for Europe to be dangerous goods.

15 REGULATORY INFORMATION**15.1 Safety, Health and Environmental Regulations Specific for the Substance or Mixture:****United States Regulations:****U.S. SARA Reporting Requirements:**

The components of this product are subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act as follows: None

U.S. SARA Threshold Planning Quantity:

There are no specific Threshold Planning Quantities for the components of this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lbs (4,540 kg) therefore applies, per 40 CFR 370.20.

U.S. CERCLA Reportable Quantity:

None

U.S. TSCA Inventory Status:

The components of this product are listed on the TSCA Inventory or are exempted from listing.

Other U.S. Federal Regulations:

None known

California Safe Drinking Water and Toxic Enforcement Act (Proposition 66):

This product does contain ingredients on the Proposition 65 Lists.

Crystalline Silica(CAS# 7631-86-9 & 14808-60-7)

15.2 Canadian Regulations:**Canadian DSL/NDSL Inventory Status:**

Components are DSL Listed, NDSL Listed and/or are exempt from listing

Other Canadian Regulations:

Not applicable

Canadian Environmental Protection Act (CEPA) Priorities Substances Lists:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

Canadian WHMIS Classification and Symbols:

This product is a classified per WHMIS 2015 Controlled Product Regulations.

15.3 European Economic Community Information:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives. See Section 2 for Details.

Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

15.4 Australian Information for Product:

Components of this product are listed on the International Chemical Inventory list.

15.5 Japanese Information for Product:

Japanese Minister of International Trade and Industry (MITI) Status: The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

15.6 International Chemical Inventories:Listing of the components on individual country Chemical Inventories is as follows:

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed

Philippines Inventory of Chemicals and Chemical Substances (PICCS): Listed

U.S. TSCA: Listed

16 ADDITIONAL INFORMATION

Prepared By: Chris Eigbrett (MSDS to GHS Compliance)

Date of Printing: August 16, 2015

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. Natural Sourcing, LLC. assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, Natural Sourcing, LLC assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

END OF SDS SHEET