



SAFETY DATA SHEET

COLAQUA
VERSION NO. 1

AQUA GREEN CHROMIUM OXIDE

*Prepared to US OSHA, CMA, ANSI, Canadian WHMIS Standards,
Australian WorkSafe, Japanese Industrial Standard JIS Z
7250:2000, and European Directives*

1 PRODUCT AND COMPANY IDENTIFICATION

1.1 Trade Name (as labeled):	AQUA GREEN CHROMIUM OXIDE
Botanical Name:	None
INCI Name:	Hydrated Chromium Oxide
Synonyms:	None
CAS No:	12001-99-9
EINECS No:	601-657-1
FEMA No:	None
1.2 Product Use:	Personal Care Formulations
1.3 Company Name:	Natural Sourcing, LLC.
Company Address:	341 Christian Street, Oxford, CT 06478, USA
Business Phone:	(800) 340-0080
Website:	www.naturalsourcing.com
Email:	info@naturalsourcing.com
1.4 Emergency Telephone Number:	Chemtrec: (800) 262-8200
Date of Current Revision:	August 12, 2020
Date of Last Revision:	New

2 HAZARD IDENTIFICATION

EMERGENCY OVERVIEW: This product is a green solid (powder).
Health Hazards: Contains a chemical which is reported as reproductive hazard.
Flammability Hazards: This product is considered a Non-Flammable.
Reactivity Hazards: None.
Environmental Hazards: The environmental effects of this product have not been investigated, however release may cause adverse environmental effects.

US DOT Symbols: Non-Regulated Material

EU and GHS Symbols:



DANGER

Signal Word:

2.1 EU Labeling and Classification:

This product does meet the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

Components Contributing to Classification: Boron Oxide

2.2 Label Elements:

GHS Hazard Classifications: Reproductive Toxicity Category 1
Hazard Statements: H360 May damage fertility or the unborn child

Prevention Statements:

P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P308+P313 IF exposed or concerned: Get medical advice/attention.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local / regional / national / international regulations.

Response Statements:

Storage Statements:

Disposal Statements:

2.3 Health Hazards or Risks From Exposure:

Symptoms of Overexposure by Route of Exposure:

The most significant routes of overexposure for this product are by contact with skin or eyes. The symptoms of overexposure are described in the following paragraphs.

Acute:

- Inhalation: None expected when used under normal conditions.
- Skin Contact: None expected when used under normal conditions.
- Eye Contact: Contact with eyes may cause irritation.
- Ingestion: None expected when used under normal conditions.

Chronic: Potential reproductive hazard.

Target Organs:

- Acute: No data available.
- Chronic: Reproductive system.

3 COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Type of Product: Natural Sourcing Color Additives

Ingredients:	WT%	CAS No.	EINECS No.	Hazard Classification
Chromic Oxide	92-95%	12001-99-9	601-657-1	Not Classified
Boron Oxide	5-8%	1303-86-2	215-125-8	Repr Cat 1

4 FIRST AID MEASURES

4.1 Description of First Aid Measures:

Eye Contact:

If product enters the eyes, flush with plenty of water or eye wash solution for several minutes. Seek medical attention if irritation persists.

Skin Contact:

Wash skin thoroughly with soap and water after handling. Seek medical attention if irritation develops and persists.

Inhalation:

If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.

Ingestion:

If product is swallowed, call physician or poison center if you feel unwell. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

Medical Conditions Generally Aggravated by Exposure:

No data available

4.2 Symptoms and Effects Both Acute and Delayed:

Contact with eyes may cause irritation.

4.3 Recommendations to Physicians:

Treat symptoms and eliminate overexposure.

5 FIRE FIGHTING MEASURES

5.1 Fire Extinguishing Materials:

Use the following fire extinguishing materials:

Water Spray: Yes
Foam: Yes
Halon: Yes

Carbon Dioxide: Yes
Dry Chemical: Yes
Other: Any "C" Class

5.2 Unusual Fire and Explosion Hazards:

No data available.

Explosive Sensitivity to Mechanical Impact:



No

Explosive Sensitivity to Static Discharge:

No

- Incipient fire responders should wear eye protection.
- Structural firefighters must wear Self-Contained Breathing Apparatus (SCBA) and full protective equipment.
- Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray.
- If possible, prevent run-off water from entering storm drains, bodies of water, or other environmentally sensitive areas.

5.3 Special Fire-Fighting Procedures:

NFPA RATING SYSTEM		HMIS RATING SYSTEM			
		HAZARDOUS MATERIAL IDENTIFICATION SYSTEM			
Health	Flammability	HEALTH HAZARD (BLUE)		2	
	0	FLAMMABILITY HAZARD (RED)		0	
	2	PHYSICAL HAZARD (YELLOW)		0	
	0				
	-				
	Other				
	Reactivity				
		PROTECTIVE EQUIPMENT			
		EYES	RESPIRATORY	HANDS	BODY
			See Sect 8		See Sect 8
Hazard Scale: 0 = Minimum 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic Hazard					

6 ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

6.2 Environmental Precautions:

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

6.3 Spill and Leak Response:

Small Spills:

- Collect material via broom or mop. Place in tightly sealed containers for proper disposal.
- Approach spill areas with caution.
- If liquid was introduced, create a dike or trench to contain material. Soak up with absorbent material such as clay, sand or other suitable non-reactive material.

Large Spills:

- Place in leak-proof containers. Seal tightly for proper disposal.
- Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

7 HANDLING AND STORAGE

7.1 Precautions for Safe Handling:

To prevent eye contact under the foreseeable conditions of use, wear appropriate safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling.

7.2 Storage and Handling Practices:

Avoid formation of dust.

7.3 Specific Uses:

Comply with the regulations and product data sheet. No specific recommendations. Apply the above handling guidelines.

8 EXPOSURE CONTROL/PERSONAL PROTECTION

8.1 Exposure Parameters:

Ingredients	CAS No.	OSHA PEL	NIOSH PEL
Chromic Oxide	12001-99-9	0.5 mg/m ³	0.5 mg/m ³
Boron Oxide	1303-86-2	10 mg/cu	10 mg/cu

8.2 Exposure Controls:

Ventilation and Engineering Controls:

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

Respiratory Protection:

Not required for properly ventilated areas.

Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

Eye Protection:

Safety glasses or goggles are recommended.

If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

Hand Protection:

Chemical resistant gloves are recommended to prevent skin contact.

If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

Body Protection:

Use body protect appropriate to task being performed.

If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties:

Appearance (Physical State and Color): This product is a green powder.

Odor: No odor

Odor Threshold: Not Available

pH: Not Available
Melting/Freezing Point: Not Available
Boiling Point: Not Available
Flash Point: Not Available
Evaporation Rate: Not Available
Flammability (Solid; Gas): Not Available
Upper/Lower Flammability or Explosion Limits: Not Available
Vapor Pressure (mm Hg @ 25°C (77° F): Not Available
Vapor Density: Not Available
Relative Density: Not Available
Specific Gravity: 2.87
Solubility in Water: Insoluble
Weight per Gallon: Not Available
Partition Coefficient (n-octanol/water): Not Available
Auto-Ignition Temperature: Not Available
Decomposition Temperature: Not Available
Viscosity: Not Available

9.2 Other Information: No additional information available at this time.

10 STABILITY AND REACTIVITY

10.1 Reactivity:

This product is not reactive.

10.2 Stability:

Stable under conditions of normal storage and use.

10.3 Possibility of Hazardous Reactions:

Will not occur under conditions of normal storage and use.

10.4 Conditions to Avoid:

No data available.

10.5 Incompatible Substances:

Chlorine trifluoride, lithium, nitroalkanes, dirubidium acetylide, oxygen difluoride, strong oxidizers.

Chromium hydrate begins to lose waters of hydration at about 200C. Also at approximately this temperature there will some formation of CR+6. The amount will be dependent on the actual temperature, the length of time at the elevated temperature, whether or not oxygen is present, and what other chemicals may be in contact with the chromium hydrate. For example, if the pure pigment is heat in air at 200C for 30 minutes, it is anticipated that 50 to 100 ppm of Cr+6 might be formed. If this is a concern testing under the actual use conditions should be done.

10.6 Hazardous Decomposition Products:

11 TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects:

Toxicity Data:

No data available

Suspected Cancer Agent:

Ingredients within this product are not found on the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are not considered to be, nor suspected to be, cancer-causing agents by these agencies.

Irritancy:

Skin: Not expected to be an irritant

Eyes: Not expected to be an irritant

Sensitization to the Product:

This product is not expected to cause skin sensitization.

Reproductive Toxicity:

No specific information is available concerning the effects of this product and its components on the human reproductive system.

12 ECOLOGICAL INFORMATION

12.1 Toxicity:

No data available

12.2 Persistence and Degradability:

No specific data available on this product.

12.3 Bioaccumulative Potential:

No specific data available on this product.

12.4 Mobility in Soil:

No specific data available on this product.

<u>12.5 Results of PBT and vPvB Assessment:</u>	No specific data available on this product.
<u>12.6 Other Adverse Effects:</u>	No data available
<u>12.7 Water Endangerment Class:</u>	At present, there are no ecotoxicological assessments for this product.

13 DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods:	Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.
13.2 EU Waste Code:	Not determined

14 TRANSPORTATION INFORMATION

US DOT, IATA, IMO, ADR:

14.1 U.S. Department of Transportation (DOT) Shipping Regulations:

This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

UN Identification Number:	Non-Regulated Material
Proper Shipping Name:	None
Hazard Class Number and Description:	None
Packing Group:	None
DOT Label(s) Required:	None
North American Emergency Response Guidebook Number:	None
RQ Quantity:	None

14.2 Environmental Hazards:

Marine Pollutant:

The components of this product are not designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

14.3 Special Precaution for User:

None

14.4 International Air Transport Association Shipping Information (IATA):

This product is not considered as dangerous goods.

14.5 International Maritime Organization Shipping Information (IMO):

This product is not considered as dangerous goods.

14.6 Transport in Bulk According to Annex II of Marpol 73/78 and IBC Code:

European Agreement Concerning the International Carriage of Dangerous Goods by Road (ADR:)

This product is not considered by the United Nations Economic Commission for Europe to be dangerous goods.

15 REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations Specific for the Substance or Mixture:

United States Regulations:

U.S. SARA Reporting Requirements:

The components of this product are subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act as follows: None

U.S. SARA Threshold Planning Quantity:

There are no specific Threshold Planning Quantities for the components of this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lbs (4,540 kg) therefore applies, per 40 CFR 370.20.

U.S. CERCLA Reportable Quantity:

None

U.S. TSCA Inventory Status:

The components of this product are listed on the TSCA Inventory or are exempted from listing.

Other U.S. Federal Regulations:

None known

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65):

This product does contain ingredients on the Proposition 65 Lists (Chromium (hexavalent compounds)).

15.2 Canadian Regulations:**Canadian DSL/NDSL Inventory Status:**

Components are DSL Listed, NDSL Listed and/or are exempt from listing

Other Canadian Regulations:

Not applicable

Canadian Environmental Protection Act (CEPA) Priorities Substances Lists:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

Canadian WHMIS Classification and Symbols:

This product is not considered hazardous per WHMIS Hazardous Product Regulations.

15.3 European Economic Community Information:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives. See Section 2 for Details.

Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

15.4 Australian Information for Product:

Components of this product are listed on the International Chemical Inventory list.

15.5 Japanese Information for Product:

Japanese Minister of International Trade and Industry (MITI) Status: The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

15.6 International Chemical Inventories:

Listing of the components on individual country Chemical Inventories is as follows:

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed

Japanese Existing and New Chemical Substances (ENCS): Listed

Philippines Inventory of Chemicals and Chemical Substances (PICCS): Listed

U.S. TSCA: Listed

16 ADDITIONAL INFORMATION

Prepared By: Chris Eigbrett (MSDS to GHS Compliance)

Date of Printing: August 12, 2020

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. Natural Sourcing, LLC. assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, Natural Sourcing, LLC assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

END OF SDS SHEET